



# ACCESSIBILITY CONFORMANCE REPORT

INTERNATIONAL EDITION - VPAT® Version 2.3 (Revised) – April 2019

**Name of Product/Version:** StrongMind Courseware

**Product Description:** Digital Curriculum

**Report Date:** 3/23/2020

**Contact Information:** Jen Salta, Executive Dir., Product Management, Jen.Salta@strongmind.com

**Evaluation Methods:** Internal product review

## Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A (Yes / No) Level AA (Yes / No)
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A (Yes / No) Level AA (Yes / No)

“Voluntary Product Accessibility Template” and “VPAT” are registered service marks of the Information Technology Industry Council (ITI)

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

## WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

# TABLE 1: SUCCESS CRITERIA, LEVEL A

## Notes:

CRITERIA	CONFORMANCE LEVEL	REMARKS AND EXPLANATIONS
1.1.1 <a href="#">Non-text Content</a> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.1.1 (Web)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> </ul>	Web: Supports	Web: Alt text is used for images throughout the digital curriculum. Long descriptions are used with complex images and diagrams.
1.2.1 <a href="#">Audio-only and Video-only (Prerecorded)</a> (Level A) Also applies to: <ul style="list-style-type: none"> <li>• EN 301 549 Criteria</li> <li>• 9.1.2.1 (Web)</li> <li>• 12.2.4 (Support Docs) Revised</li> </ul> Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> </ul>	Web: Supports	Web: Transcripts are provided for prerecorded audio and video.
1.2.2 <a href="#">Captions (Prerecorded)</a> (Level A) Also applies to: <ul style="list-style-type: none"> <li>• EN 301 549 Criteria</li> <li>• 9.1.2.2 (Web)</li> <li>• 10.1.2.2 (Non-web document)</li> <li>• 11.1.2.2 (Open Functionality Software)</li> <li>• 11.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs) Revised</li> </ul> Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Captions are provided for prerecorded audio and video.

CRITERIA	CONFORMANCE LEVEL	Remarks and Explanations
<p>Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.2.3 (Web)</li> <li>● 10.1.2.3 (Non-web document)</li> <li>● 11.1.2.3.1 (Open Functionality Software)</li> <li>● 11.1.2.3.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Transcripts and captions are provided for audio and video.</p>
<p>Info and Relationships (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.3.1 (Web)</li> <li>● 10.1.3.1 (Non-web document)</li> <li>● 11.1.3.1.1 (Open Functionality Software)</li> <li>● 11.1.3.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Pages are organized with compliant markup and headings.</p>

<p>Meaningful Sequence (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.3.2 (Web)</li> <li>● 10.1.3.2 (Non-web document)</li> <li>● 11.1.3.2.1 (Open Functionality Software)</li> <li>● 11.1.3.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Heading and other structural elements on pages are used to create meaningful sequences.</p>
<p>Sensory Characteristics (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.3.3 (Web)</li> <li>● 10.1.3.3 (Non-web document)</li> <li>● 11.1.3.3 (Open Functionality Software)</li> <li>● 11.1.3.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Not applicable</p>	<p>Web: No content relies solely on sensory characteristics.</p>

<p>Use of Color (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.4.1 (Web)</li> <li>● 10.1.4.1 (Non-web document)</li> <li>● 11.1.4.1 (Open Functionality Software)</li> <li>● 11.1.4.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Color schemes and color contrast are WCAG 2.1 compliant.</p>
<p>Audio Control (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.4.2 (Web)</li> <li>● 10.1.4.2 (Non-web document)</li> <li>● 11.1.4.2 (Open Functionality Software)</li> <li>● 11.1.4.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Audio content allows the user to pause and stop. Browser default controls allow the user to adjust volume.</p>

<p>Keyboard (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.1.1 (Web)</li> <li>● 10.2.1.1 (Non-web document)</li> <li>● 11.2.1.1.1 (Open Functionality Software)</li> <li>● 11.2.1.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Partially Supports</p>	<p>Web: Content is designed to work with keyboard shortcuts. For most interactives that require complex mouse movements, such as drag and drop, alternative activities are provided.</p>
<p>No Keyboard Trap (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.1.2 (Web)</li> <li>● 10.2.1.2 (Non-web document)</li> <li>● 11.2.1.2 (Open Functionality Software)</li> <li>● 11.2.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Focus can be moved away using standard exit methods.</p>

<p>Character Key Shortcuts (Level A 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.1.4 (Web)</li> <li>● 10.2.1.4 (Non-web document)</li> <li>● 11.2.1.4.1 (Open Functionality Software)</li> <li>● 11.2.1.4.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> </ul>	<p>Web: Not applicable</p>	<p>Web: StrongMind content does not incorporate keyboard shortcuts.</p>
<p>Timing Adjustable (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.2.1 (Web)</li> <li>● 10.2.2.1 (Non-web document)</li> <li>● 11.2.2.1 (Open Functionality Software)</li> <li>● 11.2.2.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Not applicable</p>	<p>Web: StrongMind content does not include any timed elements.</p>



<p>Pause, Stop, Hide (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.2.2 (Web)</li> <li>● 10.2.2.2 (Non-web document)</li> <li>● 11.2.2.2 (Open Functionality Software)</li> <li>● 11.2.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Not applicable</p>	<p>Web: StrongMind content does not incorporate any moving, blinking, scrolling, or auto-updating information.</p>
<p>Three Flashes or Below Threshold (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.3.1 (Web)</li> <li>● 10.2.3.1 (Non-web document)</li> <li>● 11.2.3.1 (Open Functionality Software)</li> <li>● 11.2.3.1(Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Content does not contain any content that flashes more than three times in any one second.</p>

<p>Bypass Blocks (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.4.1 (Web)</li> <li>● 10.2.4.1 (Non-web document) – Does not apply</li> <li>● 11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>● 11.2.4.1 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software) – Does not apply to non-web software</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p>Web: Not Applicable</p>	<p>Web: StrongMind courses do not include duplicate blocks of text on multiple pages.</p>
<p>Page Titled (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.4.2 (Web)</li> <li>● 10.2.4.2 (Non-web document)</li> <li>● 11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>● 11.2.4.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Pages in StrongMind courses include page names.</p>

<p>Focus Order (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.4.3 (Web)</li> <li>● 10.2.4.3 (Non-web document)</li> <li>● 11.2.4.3 (Open Functionality Software)</li> <li>● 11.2.4.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Users can tab through content in the same order as it is visually presented.</p>
<p>Link Purpose (In Context) (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.4.4 (Web)</li> <li>● 10.2.4.4 (Non-web document)</li> <li>● 11.2.4.4 (Open Functionality Software)</li> <li>● 11.2.4.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: The purpose of each web link can be determined from the link text alone or in conjunctions with the link and the context in which it is presented.</p>

<p>Pointer Gestures (Level A 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.5.1 (Web)</li> <li>● 10.2.5.1 (Non-web document)</li> <li>● 11.2.5.1 (Open Functionality Software)</li> <li>● 11.2.5.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> </ul>	<p>Web: Not applicable</p>	<p>Web: StrongMind content does not include multipoint or path-based gestures.</p>
<p>Pointer Cancellation (Level A 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.5.2 (Web)</li> <li>● 10.2.5.2 (Non-web document)</li> <li>● 11.2.5.2 (Open Functionality Software)</li> <li>● 11.2.5.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> </ul>	<p>Web: Supports</p>	<p>Web: StrongMind events are tied to up-events.</p>
<p>Label in Name (Level A 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.5.3 (Web)</li> <li>● 10.2.5.3 (Non-web document)</li> <li>● 11.2.5.3 (Open Functionality Software)</li> <li>● 11.2.5.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> </ul>	<p>Web: Supports</p>	<p>Web: All labeled UI components include the appropriate label.</p>

<p>Motion Actuation (Level A 2.1 only) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.5.4 (Web)</li> <li>● 10.2.5.4 (Non-web document)</li> <li>● 11.2.5.4 (Open Functionality Software)</li> <li>● 11.2.5.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> </ul>	<p>Web: Not applicable</p>	<p>Web: Motion actuation is not applicable to StrongMind since content is designed to be viewed on computers as well as mobile devices.</p>
<p>Language of Page (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.3.1.1 (Web)</li> <li>● 10.3.1.1 (Non-web document)</li> <li>● 11.3.1.1.1 (Open Functionality Software)</li> <li>● 11.3.1.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: StrongMind identifies the language as English, using the language attribute tag on each page.</p>

<p>On Focus (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.3.2.1 (Web)</li> <li>● 10.3.2.1 (Non-web document)</li> <li>● 11.3.2.1 (Open Functionality Software)</li> <li>● 11.3.2.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Change of focus does not occur when an element receives keyboard focus.</p>
<p>On Input (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.3.2.2 (Web)</li> <li>● 10.3.2.2 (Non-web document)</li> <li>● 11.3.2.2 (Open Functionality Software)</li> <li>● 11.3.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: StrongMind content does not change context when a UI setting is changed, unless the user has been advised.</p>

<p>Error Identification (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.3.3.1 (Web)</li> <li>● 10.3.3.1 (Non-web document)</li> <li>● 11.3.3.1.1 (Open Functionality Software)</li> <li>● 11.3.3.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Inline errors are described to users in context.</p>
<p>Labels or Instructions (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.3.3.2 (Web)</li> <li>● 10.3.3.2 (Non-web document)</li> <li>● 11.3.3.2 (Open Functionality Software)</li> <li>● 11.3.3.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: StrongMind includes instructions when content requires user input.</p>

<p>Parsing (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.4.1.1 (Web)</li> <li>● 10.4.1.1 (Non-web document)</li> <li>● 11.4.1.1.1 (Open Functionality Software)</li> <li>● 11.4.1.1.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: StrongMind uses valid markup.</p>
<p>Name, Role, Value (Level A) Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.4.1.2 (Web)</li> <li>● 10.4.1.2 (Non-web document)</li> <li>● 11.4.1.2.1 (Open Functionality Software)</li> <li>● 11.4.1.2.2 (Closed Software) – Not required</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Not applicable</p>	<p>Web: StrongMind does not include these types of fields.</p>



## Table 2: Success Criteria, Level AA

### Notes:

CRITERIA	CONFORMANCE LEVEL	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.2.4 (Web)</li> <li>● 10.1.2.4 (Non-web document)</li> <li>● 11.1.2.4 (Open Functionality Software)</li> <li>● 11.1.2.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Not applicable</p>	<p>Web: StrongMind does not include real-time media.</p>
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.2.5 (Web)</li> <li>● 10.1.2.5 (Non-web document)</li> <li>● 11.1.2.5 (Open Functionality Software)</li> <li>● 11.1.2.5 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Audio descriptions are provided in transcripts for all prerecorded audio.</p>

CRITERIA	CONFORMANCE LEVEL	Remarks and Explanations
<p><b>1.3.4 Orientation (Level AA 2.1 only)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.3.4 (Web)</li> <li>● 10.1.3.4 (Non-web document)</li> <li>● 11.1.3.4 (Open Functionality Software)</li> <li>● 11.1.3.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> </ul>	Web: Supports	Web: StrongMind does not restrict to landscape or portrait orientation.
<p><b>1.3.5 Identify Input Purpose (Level AA 2.1 only)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.3.5 (Web)</li> <li>● 10.1.3.5 (Non-web document)</li> <li>● 11.1.3.5 (Open Functionality Software)</li> <li>● 11.1.3.5 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> </ul>	Web: Not applicable	Web: Criteria does not apply to StrongMind. Student- facing input fields are dynamic in nature, such as quiz questions. Students do not see standardized field such as email address, name, etc.

<p><b>1.4.3 Contrast (Minimum) (Level AA)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.4.3 (Web)</li> <li>● 10.1.4.3 (Non-web document)</li> <li>● 11.1.4.3 (Open Functionality Software)</li> <li>● 11.1.4.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Color contrast is checked in all content for WCAG 2.1 compliance prior to publication.</p>
<p><b>1.4.4 Resize text (Level AA)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.4.4 (Web)</li> <li>● 10.1.4.4 (Non-web document)</li> <li>● 11.1.4.4.1 (Open Functionality Software)</li> <li>● 11.1.4.4.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: StrongMind content can be resized using browser Zoom tools with no impact on functionality.</p>

<p><b>1.4.5 Images of Text (Level AA)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.4.5 (Web)</li> <li>● 10.1.4.5 (Non-web document)</li> <li>● 11.1.4.5.1 (Open Functionality Software)</li> <li>● 11.1.4.5.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Long descriptions provide text to convey information about complex images.</p>
<p><b>1.4.10 Reflow (Level AA 2.1 only)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.4.10 (Web)</li> <li>● 10.1.4.10 (Non-web document)</li> <li>● 11.1.4.10.1 (Open Functionality Software)</li> <li>● 11.1.4.10.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> </ul>	<p>Web: Supports</p>	<p>Web: StrongMind digital content is responsive.</p>

<p><b>1.4.11 Non-text Contrast (Level AA 2.1 only)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.4.11 (Web)</li> <li>● 10.1.4.11 (Non-web document)</li> <li>● 11.1.4.11 (Open Functionality Software)</li> <li>● 11.1.4.11 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> </ul>	<p>Web: Supports</p>	<p>Web: Non-text contrast complies with a contrast ration of at least 3:1 against adjacent colors.</p>
<p><b>1.4.12 Text Spacing (Level AA 2.1 only)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.4.12 (Web)</li> <li>● 10.1.4.12 (Non-web document)</li> <li>● 11.1.4.12 (Open Functionality Software)</li> <li>● 11.1.4.12 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> </ul>	<p>Web: Supports</p>	<p>Web: StrongMind supports increasing line height size with no loss of readability.</p>
<p><b>1.4.13 Content on Hover or Focus (Level AA 2.1 only)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.1.4.13 (Web)</li> <li>● 10.1.4.13 (Non-web document)</li> <li>● 11.1.4.13 (Open Functionality Software)</li> <li>● 11.1.4.13 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> </ul>	<p>Web: Not applicable</p>	<p>Web: StrongMind does not use interactions that require hover or focus.</p>

<p><b>2.4.5 Multiple Ways (Level AA)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.4.5 (Web)</li> <li>● 10.2.4.5 (Non-web document) – Does not apply</li> <li>● 11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>● 11.2.4.5 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software) – Does not apply to non-web software</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p>Web: Supports</p>	<p>Web: StrongMind offers multiple ways to navigate content.</p>
<p><b>2.4.6 Headings and Labels (Level AA)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.4.6 (Web)</li> <li>● 10.2.4.6 (Non-web document)</li> <li>● 11.2.4.6 (Open Functionality Software)</li> <li>● 11.2.4.6 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: StrongMind uses descriptive headings and labels.</p>

<p><b>2.4.7 Focus Visible (Level AA)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.2.4.7 (Web)</li> <li>● 10.2.4.7 (Non-web document)</li> <li>● 11.2.4.7 (Open Functionality Software)</li> <li>● 11.2.4.7 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: StrongMind supports browser default styling for focused elements.</p>
<p><b>3.1.2 Language of Parts (Level AA)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.3.1.2 (Web)</li> <li>● 10.3.1.2 (Non-web document)</li> <li>● 11.3.1.2 (Open Functionality Software) – Does not apply</li> <li>● 11.3.1.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Language can be programmatically determined using common assistive technology.</p>

<p><b>3.2.3 Consistent Navigation (Level AA)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.3.2.3 (Web)</li> <li>● 10.3.2.3 (Non-web document) – Does not apply</li> <li>● 11.3.2.3 (Open Functionality Software) – Does not apply</li> <li>● 11.3.2.3 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software) – Does not apply to non-web software</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p>Web: Supports</p>	<p>Web: StrongMind navigation is consistent.</p>
<p><b>3.2.4 Consistent Identification (Level AA)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.3.2.4 (Web)</li> <li>● 10.3.2.4 (Non-web document) – Does not apply</li> <li>● 11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>● 11.3.2.4 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software) – Does not apply to non-web software</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p>Web: Supports</p>	<p>Web: StrongMind navigation is consistent in location.</p>



<p><b>3.3.3 Error Suggestion (Level AA)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.3.3.3 (Web)</li> <li>● 10.3.3.3 (Non-web document)</li> <li>● 11.3.3.3 (Open Functionality Software)</li> <li>● 11.3.3.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Not applicable</p>	<p>Web: StrongMind does not include forms or questions that require error suggestion.</p>
<p><b>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)</b></p> <p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.3.3.4 (Web)</li> <li>● 10.3.3.4 (Non-web document)</li> <li>● 11.3.3.4 (Open Functionality Software)</li> <li>● 11.3.3.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508</li> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Web: Not applicable</p>	<p>Web: StrongMind does not include any legal or financial transactions.</p>

<b>4.1.3 Status Messages (Level AA 2.1 only)</b>		
<p>Also applies to:</p> <ul style="list-style-type: none"> <li>● EN 301 549 Criteria</li> <li>● 9.4.1.3 (Web)</li> <li>● 10.4.1.3 (Non-web document) – Does not apply</li> <li>● 11.4.1.3 (Open Functionality Software) – Does not apply</li> <li>● 11.4.1.3 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> </ul>	Web: Supports	Web: This is partially met as some of the StrongMind status messages are supported by screen readers.